



Xing Di Feng



XING DI FENG

佛山市兴蒂丰建材装饰有限公司

XING DI FENG Building Material Decoration Co.,Ltd

PROFESSIONAL TOILET CUBICLES SYSTEM



佛山市兴蒂丰建材装饰有限公司

Xing Di Feng XING DI FENG Building Material Decoration Co.,Ltd

地址：广东省佛山市南海区罗村镇联和工业区西区十路1号

Add: No.1,Xiqu 10Rd, Lianhe Industrial Area,luocun,Nanhai,
Foshan City,Guangdong,China

Tel: +86-757-81801101 +86-757-81260015

Fax: +86-757-81801102

Homepage: www.xingdifeng.com

E-mail: info@xingdifeng.com xingdifeng@yeah.net

☎ : +86-13553327028



● 印刷颜色与实物可能有所偏差，一切请以实物为准。



Company Profile 公司简介

Foshan Xingdifeng Building Material Decoration Co., Ltd was founded in 2006. Located in Nanhai district, Foshan city. We are one of leading professional manufacturers on toilet cubicle partition, including all hardwares (leg, hinge, corner bracket, lock set, coat hook, door knob and so on), aluminum profile and HPL (phenolic board). Due to the reasonable and competitive price, high quality, our products are deeply welcomed by customers, and all of our products are sold to Europe, Russia, Middle East, Southeast of Asia.

We take "customer-centric, service-oriented" as our belief, and we sincerely hope that we can have an opportunity to cooperate with your esteemed company in the future.

佛山市兴蒂丰建材装饰有限公司于2006年在佛山市南海区成立, 主要从事卫生间间隔配件, 包括支脚, 合页, 角码, 锁, 衣勾, 拉手等五金, 同时代理销售间隔铝材, 抗倍特板一整套产品。企业自创办以来, 凭借着合理的产品价格, 优质的产品质量, 深受广大客商的青睐, 产品远销欧洲, 俄罗斯, 中东, 东南亚。

我们秉承顾客至上的原则, 真诚希望日后能有机会和贵公司合作。

Our Honors 公司荣誉

Honors originated from capability, as well as opportunities.

荣誉源于实力, 也源于机遇。



Contents

目录


A	卫生间隔断系列 Toilet Partition System	01-70
	不锈钢#304系列 Stainless Steel #304 Series	07-22
	锌合金系列 Zinc alloy Series	23-26
	铝合金系列 Aluminum alloy Series	27-28
	尼龙系列 Nylon Series	29-34
	产品配件系列 Product fitting Series	35-64
	铝材系列 Aluminum System	65-70
B	色板系列 Colour Chart System	71-72
C	储物柜系列 Lockers System	73-82
D	橱柜系列 Cupboard Cabinet System	83-84
E	挂墙系列 Wall Cladding System	85-90
F	工程案例 The Project Photos	91-100







卫生间隔断系列
Toilet Partition System

▼ Horizontal view(平视图)




▼ Vertical view(俯视图)



Graphical representation 图形表示


Components in detail
隔断组成图解

- A Divisional panel 中隔板 (P板)
- B Corner fastener 固定角码3个
- C Adjustable leg 支撑脚
- D Door 门 (D板)
- E Aluminum bar 压杆
- F Wall 墙
- G Front board 前挡板 (T板)
- H Hinge 合页
- I Coat hook 衣钩
- J Lock 指示锁
- K Knob 拉手
- L Floor 地面



▼ 开门方向与合页左右区分


How to choose the hinge for different directions of door opening




右内开
使用合页左 (L)
Open from Inside:
use Left(L)





左内开
使用合页右 (R)
Open from Inside:
use Right(R)



右外开
使用合页右 (R)
Open from Outside:
use Right(R)




左外开
使用合页左 (L)
Open from Outside:
use Left(L)




A



B



C



Installation steps 安装步骤

1、固定支撑脚:

校好预留门扇与门缝的水平尺寸定位, 再固定支撑脚座上钻孔, 上胶塞上螺丝, 将支撑脚全部固定在相应位置。

2、墙体固定角码:

在墙体上制出角码的中心线 (一般在两厕位中心位置) 定好三点后用电钻钻孔、预埋胶塞再将角码固定在墙上。

3、固定T板 (前挡板) 和P板 (中隔板):

根据支撑脚与角码的对应位置, 在T板上划出相应与P板的连接位置装上角码, 再将T板和P板连接成“⊥”字型。

4、初步成型卫生间:

将T板和P板连接成的“⊥”字型骨架在原先装好的支撑脚和角码的相应位置上螺丝, 卫生间初具模型。

5、上横拉杆:

在T板上扣上拉杆, 调好每个门缝预留尺寸, 用螺丝逐个固定。

6、上门扇:

先将合页的顶座 (不带盖) 上在门扇上, 靠上门扇, 留好双边门缝再将合页支座 (合页下部分) 靠在相应位置上好螺丝, 调整好合页芯归位角度使门扇开闭自如。

7、指示锁、拉手:

依不同锁种的孔距在门扇或T板上定位划线、钻孔, 调好有、无人指示上好螺丝。

8、装上衣帽钩, 盖上所示螺丝盖、合页盖, 再做一次全面检查; 卫生间安装完毕。

1、Fix adjustable leg

Adjust the horizontal size between the door leaf and door frame, then bore holes in the panel, fix the adjustable leg in the appropriate location with screws.

2、Fix corner fastener

Draw a center line on the wall (generally in the center of two toilet seats) then use a drill to bore holes, put plastic plug into the holes, finally fix the corner fasteners on the wall.

3、Fix front board and middle board

According to the corresponding position of support leg and corner fastener, install the corner fasteners on the connect position of front board and middle board, then connect the front board and middle board as T shape

4、Initial toilet partition

Fix the T shape frame on the corresponding position of support leg and corner fastener with screws, the initial toilet partition is formed.

5、Fix the bar

Fix the bar on the front board, adjust each door on proper size, then fix with screws one by one.

6、Install door

First, fix the hinge (no cover) on the door, keep a suitable door gap, then fix the hinge (supporting part of the hinge) with screws, adjust the hinge to let the door open and close freely.








7、Indicator lock, knob

Line and drill on the door or T panel according to the hole distance of different locks, adjust and install it with screws if that is ok.

8、Fix coat hook, cover the screw cover and hinge cover, check it again if all are successful, then installation is finished.










XDF-51 **Stainless steel #304 series** 不锈钢304系列



每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs
- 合页 (Hinge) : 2Pcs
- 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs
- 衣钩 (Clothes hook) : 1Pcs
- 拉手 (Door knob) : 1Set

XDF-52
Stainless steel #304 series
不锈钢304系列



每套标准包装 (Standard Package) :









● 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
● 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set



XDF-53










Stainless steel #304 series

不锈钢304系列












每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs
- 合页 (Hinge) : 2Pcs
- 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs
- 衣钩 (Clothes hook) : 1Pcs
- 拉手 (Door knob) : 1Set



每套标准包装 (Standard Package) :









- 支脚 (Leg) : 2Pcs
- 合页 (Hinge) : 2Pcs
- 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs
- 衣钩 (Clothes hook) : 1Pcs
- 拉手 (Door knob) : 1Set



每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set








XDF-56
Stainless steel #304 series
不锈钢304系列



每套标准包装 (Standard Package) :






● 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
● 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set

XDF-57
Stainless steel #304 series
不锈钢304系列








每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
● 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set









每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set








每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set










每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set








每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set








每套标准包装 (Standard Package) :

- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set


















每套标准包装 (Standard Package) :













- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
● 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set





































每套标准包装 (Standard Package) :


















- 支脚 (Leg) : 2Pcs ● 合页 (Hinge) : 2Pcs ● 角码 (Corner fastener) : 10Pcs
- 门锁 (Lock) : 1Pcs ● 衣钩 (Clothes hook) : 1Pcs ● 拉手 (Door knob) : 1Set



















































































































E-066




1/2" 16-18 UNF x 3.00" 304 stainless steel pipe nipple

E-056

Technical drawing of a mechanical part, labeled E-056. The drawing includes a side view and a cross-sectional view. Dimensions are given in millimeters: total length 82, flange thickness 25, central hole diameter 54, and a small hole diameter 5. A detail view shows a circular feature with a diameter of 51.


E-396



Technical drawing of a bolt. The drawing includes a perspective view of a hexagonal bolt with a blue coating. To the right, there are two cross-sectional views. The first cross-section shows a diameter of 39.5. The second cross-section shows a length of 30.

[illegible]

E-046



Technical drawing of a metal component, labeled E-046. The drawing includes a perspective view and two cross-sectional views.

Dimensions:


- Top cross-section: 18 (height), 54 (width), 2-Ø5 (hole diameter).
- Bottom cross-section: 28 (width), Ø51 (outer diameter), 2-Ø6 (hole diameter).

E-013



Technical drawing of a bolt and nut assembly. The drawing includes a perspective view of a bolt and a nut, a top view of the bolt head showing a diameter of 6.3, and a side view of the nut showing a width of 5.0 and a height of 2.0. The bolt has a threaded section of 1.0 and a total length of 1.0.

E-416



Technical drawing of a circular metal part (E-416) showing a perspective view and two cross-sectional views. The part features a central slot and two side slots. Dimensions are indicated: 81 (outer diameter), 82 (inner diameter), 83 (slot width), 84 (slot depth), and 85 (slot length).


DK-01



Technical drawing of a dome-shaped fastener (DK-01). The drawing shows a 3D perspective view of the fastener and a corresponding 2D cross-sectional view. The cross-section indicates a top diameter of $\varnothing 29$ and a base diameter of $\varnothing 15$.










Technical drawing of a bolt and nut assembly. The bolt is shown in a perspective view on the left and a side view on the right. The side view includes dimensions: 14, 20, 14, 38, 48, and 8. The nut is shown in a perspective view on the left and a side view on the right. The side view includes dimensions: 38 and 48. The bolt is labeled with a diameter of $\varnothing 8$ and the nut with a diameter of $\varnothing 38$.

E-976



























Technical drawing of a metal fastener, E-976. The drawing includes a perspective view and a cross-sectional view. The cross-section shows a central hole with a diameter of 19, an outer diameter of 36, and a total length of 43. A smaller section on the right shows a detail of the end with a diameter of 19 and a length of 10.






















Figure 1 shows a photograph of a blue cylindrical component and its technical drawing. The drawing indicates a central hole with a diameter of 45 and a length of 48.





铝材系列
Aluminum System








Meilin Building Office


Toyota Service Restroom



色板系列 HPL Board Series



Light beige 932 (荷花白)




Blue 38019 (湛蓝)



Gray 927 (灰色)



Light pink 859 (浅粉红)



Light green 879 (浅豆绿)



Beech 32726 (白桦)




Oak 39966 (橡木)




Walnut brown 619107 (胡桃)



Maple 0630 (北美枫木)



Black 816 (纯黑)



Pure white 819 (暖白)



空间。几何物语
Space. Geometric materials

留恋空间，是一种与生俱来的习惯，
像隐藏在我们身上……
独一无二的美学因子，随圆方几何，
勾勒居所表情，格调悠扬。

Love space is inherent habit,
just like the unique aesthetic factor
hidden in us, with round, square
and geometry,
show the expression of living space
with graceful style.

储物柜系统
Lockers System



Philippine sky commercial center
Model: Tier 4 by 3 Columns
Quantity: 350Sets

Hong Kong Stadium Project
Model: Tier 2 by 2 Columns
Quantity: 400Sets



Marshall Shopmall center
Model: Tier 2 by 4 Columns
Quantity: 200Sets



Saudi Arabia University Project
Model: Tier 2 by 2 Columns
Quantity: 150Sets




Canada children heart hospital center
Model: Tier 3 by 3 Columns
Quantity: 250Sets

Morocco University Project
Model: L shaped Tier 2 by 3 Columns
Quantity: 100Sets



Model 1: 12mm Laminate Locker



Model 2: Locker with Alum Profile



Locker Accessories

Standard Accessories



Lock (E-664)



Number plate (R-004)



Hinge (E-332)



Hinge (E-952)

Optional Accessories



Magnetic Lock (E-314)



Magnetic Lock (E-324)



Magnetic Lock (E-334)



Magnetic Lock (E-344)



Magnetic Lock (E-754)



Password Lock (E-304)



Mechanic Lock (E-504)



Locker Lock (E-214)



Locker Hinge (E-182)



Locker Hinge (E-122)



R-002 Number plate



R-003 Number plate



Handle (DK-01)



Leg (E-931)



Leg (E-941)



Plinth

Bench



Model 03

Model 01. Bench without Backrest

Size: L1200 x W400 x H500mm

L1800 x W400 x H500mm

L2400 x W400 x H500mm

Material: HPL Bench Top with #SS304

Model 02. Bench with Single Backrest

Size: L1200 x W450 x H1800mm

L1800 x W450 x H1800mm

L2400 x W450 x H1800mm

Material: HPL Bench Top with #SS304

Model 03. Bench With Double Backrest

Size: L1200 x W850 x H1800mm

L1800 x W850 x H1800mm

L2400 x W850 x H1800mm

Material: HPL Bench Top with #SS304



Model 01

Model 2: Locker with Alum Profile



A-034




A-035



























A-036

Installation (安装结构示意图)



Standard Design

	1Column Width 30cm	2Column Width 60cm	3Column Width 90cm	4Column Width 120cm
1Tier (Height 180cm)				
2Tier (Height 180cm)				
3Tier (Height 180cm)				
4Tier (Height 180cm)				
6Tier (Height 180cm)				
Z Shaped (Height 180cm)				

Remark: If add the Plinth, The total Height should be as height as 190cm.

Singapore JW Hotel



Showroom Display



Mongkok Maritime Bureau washroom



Lung Cheung Middle school-laboratory





WuHua Middle school-laboratory





挂墙系列
Wall Cladding

Wall Cladding System
挂墙系统



Section view of horizontal division
兴蒂丰挂墙系统横剖面图

分部细节 Section Details

- 1、竖龙骨 Vertical shape rail
- 2、可调节码 Adjustable jump piece
- 3、U型横龙骨 U-shape rail
- 4、紧密胶条 Sealing rubber
- 5、L型固定码 L shaped fastener
- 6、固定码 Fixed Jump piece
- 7、龙骨连接片 Rail junction



Wall cladding assembly sketch map 挂墙拼装示意图



Wall cladding assembly sketch map 挂墙拼装示意图


- 1、固定码 Fixed Jump piece (P-610)
- 2、可调节码 Adjustable Jump piece (P-611)
- 3、竖龙骨 Vertical shape rail (P-620)
- 4、横龙骨 U shape rail (P-612)
- 5、角码 Corner bracket (P-613)
- 6、效果图 Assembly photo
- 7、胶条 sealing rubber




P-610



P-611



P-620



P-612



P-613




Assembly photo



Second People's Hospital



Hospital Operation Room



Children Hospital



Hospital Corridor



工程案例 The Projects









